


IMAGE 1



WARNING 1:

EventTime: 08/31/2022 17:51:58

Message (FormatException): DotNet invoke error. SessionID:463, Interface:, type:System.DateTime, methodName:Parse

RootException: FormatException

String was not recognized as a valid DateTime.

ExceptionStackTrace:

at System.DateTimeParse.Parse(String s, DateTimeFormatInfo dtfi, DateTimeStyles styles)

CallerStackTrace:

at Microsoft.Dynamics.Nav.Runtime.NavDotNet.Invoke[T](String methodName, UInt32 methodIndex, BindingFlags flags, ParameterModifier modifier, Type[] referenceTypes, Object[] arguments)

at Microsoft.Dynamics.Nav.Runtime.NavDotNet.InvokeMethod[T](Boolean isStatic, String methodName, UInt32 methodIndex, Object[] arguments)

at Microsoft.Dynamics.Nav.Runtime.NavDotNet.InvokeStaticMethod[T](String methodName, UInt32 methodIndex, Object[] arguments)

at Microsoft.Dynamics.Nav.BusinessApplication.Report50127.Comprobantes_a45_OnAfterGetRecord_Scope.OnRun() in C:\ProgramData\Microsoft\Microsoft Dynamics

NAV\140\Server\MicrosoftDynamicsNavServer\$DEMODB\base\source\REP\REP_50127.cs:line 1634

at Microsoft.Dynamics.Nav.Runtime.NavMethodScope.Run()

at Microsoft.Dynamics.Nav.BusinessApplication.Report50127.Comprobantes_a45_OnAfterGetRecord() in

C:\ProgramData\Microsoft\Microsoft Dynamics

NAV\140\Server\MicrosoftDynamicsNavServer\$DEMODB\base\source\REP\REP_50127.cs:line 1002

at Microsoft.Dynamics.Nav.Runtime.DataItemIterator.ExecuteTrigger(NavTrigger reportTriggerDelegate)

at Microsoft.Dynamics.Nav.Runtime.DataItemIterator.DataItemTriggerSwitch(DataItem dataItem, NavTrigger dataItemTriggerDelegate)

at Microsoft.Dynamics.Nav.Runtime.DataItemIterator.ExecuteDataItemLoop(DataItem dataItem)

```
at Microsoft.Dynamics.Nav.Runtime.DataItemIterator.LoopChildDataItems(DataItem dataItem)
at Microsoft.Dynamics.Nav.Runtime.DataItemIterator.ExecuteDataItemLoop(DataItem dataItem)
at Microsoft.Dynamics.Nav.Runtime.DataItemIterator.LoopChildDataItems(DataItem dataItem)
at Microsoft.Dynamics.Nav.Runtime.DataItemIterator.ExecuteDataItemLoop(DataItem dataItem)
at Microsoft.Dynamics.Nav.Runtime.DataItemIterator.LoopChildDataItems(DataItem dataItem)
at Microsoft.Dynamics.Nav.Runtime.DataItemIterator.ExecuteDataItemLoop(DataItem dataItem)
at Microsoft.Dynamics.Nav.Runtime.DataItemIterator.LoopRootDataItems()
at Microsoft.Dynamics.Nav.Runtime.DataItemIterator.ExecuteDataItemIterator()
at Microsoft.Dynamics.Nav.Runtime.NavReport.<>_c__DisplayClass123_0.<RunReportInternal>b__0()
at
Microsoft.Dynamics.Nav.Runtime.ApplicationObjectRootScope.AddApplicationObjectRootScope[T](NavApplicationObj
ectBase applicationObject, Func`1 action)
at Microsoft.Dynamics.Nav.Runtime.NavReport.SaveReportAsFormat(NavRecord record, IResultSetProcessor
resultSetProcessor, String fileName, ReportFormat format, String tempFilePath)
at Microsoft.Dynamics.Nav.Runtime.NavReport.SaveAs(DataError errorLevel, NavOutputStream outputStream,
ReportFormat format, NavRecordRef recordRef)
at Microsoft.Dynamics.Nav.Runtime.NavReport.SaveAs(DataError errorLevel, Int32 reportId, String parameters,
NavReportFormat reportFormat, NavOutputStream outputStream, NavRecordRef recordRef)
at Microsoft.Dynamics.Nav.BusinessApplication.Codeunit6211197.GetReportAsPDF_Scope__135625231.OnRun() in
C:\ProgramData\Microsoft\Microsoft Dynamics
NAV\140\Server\MicrosoftDynamicsNavServer$DEMODB\apps\metadata\3\E7\E7836311B04E3794E8E2C5BCCC71B5A
4DDAE8E85300AC821AE9F7C9E2F20AFFC.cs:line 1511
at Microsoft.Dynamics.Nav.Runtime.NavMethodScope.Run()
at Microsoft.Dynamics.Nav.BusinessApplication.Codeunit6211197.GetReportAsPDF(Int32 reportId, NavText
reportParameters, NavRecordRef recordReference) in C:\ProgramData\Microsoft\Microsoft Dynamics
NAV\140\Server\MicrosoftDynamicsNavServer$DEMODB\apps\metadata\3\E7\E7836311B04E3794E8E2C5BCCC71B5A
4DDAE8E85300AC821AE9F7C9E2F20AFFC.cs:line 1446
at Microsoft.Dynamics.Nav.BusinessApplication.Codeunit6211197.PrintReportasPDF_Scope_1237335992.OnRun() in
C:\ProgramData\Microsoft\Microsoft Dynamics
NAV\140\Server\MicrosoftDynamicsNavServer$DEMODB\apps\metadata\3\E7\E7836311B04E3794E8E2C5BCCC71B5A
4DDAE8E85300AC821AE9F7C9E2F20AFFC.cs:line 942
at Microsoft.Dynamics.Nav.Runtime.NavMethodScope.Run()
at Microsoft.Dynamics.Nav.BusinessApplication.Codeunit6211197.PrintReportasPDF(Int32 reportUsage, NavCode
documentNo, NavText externalUserId) in C:\ProgramData\Microsoft\Microsoft Dynamics
NAV\140\Server\MicrosoftDynamicsNavServer$DEMODB\apps\metadata\3\E7\E7836311B04E3794E8E2C5BCCC71B5A
4DDAE8E85300AC821AE9F7C9E2F20AFFC.cs:line 806
at Microsoft.Dynamics.Nav.BusinessApplication.Codeunit6211197.OnInvoke(Int32 memberId, Object[] args) in
C:\ProgramData\Microsoft\Microsoft Dynamics
NAV\140\Server\MicrosoftDynamicsNavServer$DEMODB\apps\metadata\3\E7\E7836311B04E3794E8E2C5BCCC71B5A
4DDAE8E85300AC821AE9F7C9E2F20AFFC.cs:line 59
at
Microsoft.Dynamics.Nav.BusinessApplication.Codeunit6211200.GetPdfForItemRequest_Scope_1755206288.OnRun() in
C:\ProgramData\Microsoft\Microsoft Dynamics
NAV\140\Server\MicrosoftDynamicsNavServer$DEMODB\apps\metadata\3\7C\7C5D1AA57D3DAA5092336643A4C69
367A54314EBDB5C70A7EED1F164022B877A.cs:line 886
at Microsoft.Dynamics.Nav.Runtime.NavMethodScope.Run()
at Microsoft.Dynamics.Nav.BusinessApplication.Codeunit6211200.GetPdfForItemRequest(NavXmlDocument
xmlDocIn, ByRef response) in C:\ProgramData\Microsoft\Microsoft Dynamics
NAV\140\Server\MicrosoftDynamicsNavServer$DEMODB\apps\metadata\3\7C\7C5D1AA57D3DAA5092336643A4C69
367A54314EBDB5C70A7EED1F164022B877A.cs:line 816
at Microsoft.Dynamics.Nav.BusinessApplication.Codeunit6211200.Process_Scope_50007886.OnRun() in
C:\ProgramData\Microsoft\Microsoft Dynamics
NAV\140\Server\MicrosoftDynamicsNavServer$DEMODB\apps\metadata\3\7C\7C5D1AA57D3DAA5092336643A4C69
367A54314EBDB5C70A7EED1F164022B877A.cs:line 241
```

at Microsoft.Dynamics.Nav.Runtime.NavMethodScope.Run()
at Microsoft.Dynamics.Nav.BusinessApplication.Codeunit6211200.Process(ByRef 1 request) in
C:\ProgramData\Microsoft\Microsoft Dynamics
NAV\140\Server\MicrosoftDynamicsNavServer\$DEMODB\apps\metadata\3\7C\7C5D1AA57D3DAA5092336643A4C69
367A54314EBDB5C70A7EED1F164022B877A.cs:line 116
at System.RuntimeMethodHandle.InvokeMethod(Object target, Object[] arguments, Signature sig, Boolean
constructor)
at System.Reflection.RuntimeMethodInfo.UnsafelyInvokeInternal(Object obj, Object[] parameters, Object[] arguments)
at System.Reflection.RuntimeMethodInfo.Invoke(Object obj, BindingFlags invokeAttr, Binder binder, Object[]
parameters, CultureInfo culture)
at Microsoft.Dynamics.Nav.Service.SOAP.ServiceCodeunitXmlAdapter.<>c__DisplayClass2_1.<Dispatch>b__1()
at Microsoft.Dynamics.Nav.Runtime.SessionTransactionManager.TransactionScope(Action code)
at Microsoft.Dynamics.Nav.Service.SOAP.ServiceCodeunitXmlAdapter.<>c__DisplayClass2_0.<Dispatch>b__0()
at Microsoft.Dynamics.Nav.Service.SOAP.Disposer.Scope(Code code)
at Microsoft.Dynamics.Nav.Service.SOAP.ServiceCodeunitXmlAdapter.Dispatch(XmlElement input, XmlIWriter
output)
at Microsoft.Dynamics.Nav.Service.SOAP.XmlIWriter.Element(String name, XmlCallback elementHandler)
at Microsoft.Dynamics.Nav.Service.SOAP.XmlIWriter.Element(String name, XmlCallback elementHandler)
at Microsoft.Dynamics.Nav.Service.SOAP.XmlIWriter.SetNamespace(QNamespace namespace, XmlCallback
nodeHandler)
at
Microsoft.Dynamics.Nav.Service.SOAP.SoapHandler.Microsoft.Dynamics.Nav.Service.SOAP.IXmlRequestHandler.Dispatch
(XmlElement input, XmlIWriter output)
at Microsoft.Dynamics.Nav.Service.SOAP.ServiceBroker.DispatchSoap(WebServiceUrlInfo relevantURLPart, XmlReader
input, TextWriter output, NavTenant tenant, PerformanceLog perfLog)
at Microsoft.Dynamics.Nav.Service.SOAP.ServiceBroker.Invoke(Boolean isSoapMessage, Uri url, XmlReader input,
TextWriter output, NavUserAuthentication navUserAuthentication, PerformanceLog performanceLog)
at Microsoft.Dynamics.Nav.Service.SOAP.NavWebService.<>c__DisplayClass3_3.<ProcessMessage>b__2()
at Microsoft.Dynamics.Nav.Service.SOAP.Disposer.Scope(Code code)
at Microsoft.Dynamics.Nav.Service.SOAP.WCFUtil.GetPopulatedMemoryStream(StreamFillingCallback callback)
at Microsoft.Dynamics.Nav.Service.SOAP.NavWebService.ProcessMessage(Message message)
at SyncInvokeProcessMessage(Object , Object[] , Object[])
at System.ServiceModel.Dispatcher.SyncMethodInvoker.Invoke(Object instance, Object[] inputs, Object[]& outputs)
at System.ServiceModel.Dispatcher.DispatchOperationRuntime.InvokeBegin(MessageRpc& rpc)
at System.ServiceModel.Dispatcher.ImmutableDispatchRuntime.ProcessMessage5(MessageRpc& rpc)
at System.ServiceModel.Dispatcher.ImmutableDispatchRuntime.ProcessMessage11(MessageRpc& rpc)
at System.ServiceModel.Dispatcher.MessageRpc.Process(Boolean isOperationContextSet)
at System.ServiceModel.Dispatcher.ChannelHandler.DispatchAndReleasePump(RequestContext request, Boolean
cleanThread, OperationContext currentOperationContext)
at System.ServiceModel.Dispatcher.ChannelHandler.HandleRequest(RequestContext request, OperationContext
currentOperationContext)
at System.ServiceModel.Dispatcher.ChannelHandler.AsyncMessagePump(IAsyncResult result)
at System.ServiceModel.Dispatcher.ChannelHandler.OnAsyncReceiveComplete(IAsyncResult result)
at System.Runtime.Fx.AsyncThunk.UnhandledExceptionFrame(IAsyncResult result)
at System.Runtime.AsyncResult.Complete(Boolean completedSynchronously)
at System.Runtime.InputQueue`1.AsyncQueueReader.Set(Item item)
at System.Runtime.InputQueue`1.EnqueueAndDispatch(Item item, Boolean canDispatchOnThisThread)
at System.Runtime.InputQueue`1.EnqueueAndDispatch(T item, Action dequeuedCallback, Boolean
canDispatchOnThisThread)
at System.ServiceModel.Channels.SingletonChannelAcceptor`3.Enqueue(QueueItemType item, Action
dequeuedCallback, Boolean canDispatchOnThisThread)
at
System.ServiceModel.Channels.HttpPipeline.EnqueueMessageAsyncResult.CompleteParseAndEnqueue(IAsyncResult
result)

at
System.ServiceModel.Channels.HttpPipeline.EnqueueMessageAsyncResult.HandleParseIncomingMessage(IAsyncResult result)
at System.Runtime.AsyncResult.AsyncCompletionWrapperCallback(IAsyncResult result)
at System.Runtime.Fx.AsyncThunk.UnhandledExceptionFrame(IAsyncResult result)
at System.Runtime.AsyncResult.Complete(Boolean completedSynchronously)
at System.ServiceModel.Channels.HttpInput.ParseMessageAsyncResult.OnRead(IAsyncResult result)
at System.Runtime.Fx.AsyncThunk.UnhandledExceptionFrame(IAsyncResult result)
at System.Net.LazyAsyncResult.Complete(IntPtr userToken)
at System.Net.LazyAsyncResult.ProtectedInvokeCallback(Object result, IntPtr userToken)
at System.Net.HttpRequestStream.HttpRequestStreamAsyncResult.IOCompleted(HttpRequestStreamAsyncResult asyncResult, UInt32 errorCode, UInt32 numBytes)
at System.Threading.ExecutionContext.RunInternal(ExecutionContext executionContext, ContextCallback callback, Object state, Boolean preserveSyncCtx)
at System.Threading.ExecutionContext.Run(ExecutionContext executionContext, ContextCallback callback, Object state, Boolean preserveSyncCtx)
at System.Threading._IOCompletionCallback.PerformIOCompletionCallback(UInt32 errorCode, UInt32 numBytes, NativeOverlapped* pOVERLAP)

ProcessId: 3308
Tag: 000016L
ThreadId: 61
CounterInformation:

WARNING 2

Server instance: DEMODB

Category: Runtime

ClientSessionId: 2dcec1cc-3380-48a3-9931-98f357d778a3

ClientActivityId: cb47b699-550b-4c4b-9354-391435f5cab9

ServerSessionUniqueId: a7de4443-048d-4de8-9abc-d5f6c6cfe9ff

ServerActivityId: 0f5b3054-5055-4216-9c84-140a89adbabc

EventTime: 08/31/2022 17:51:58

Message (FormatException): This message had personal data removed. The original may still be in transient telemetry. Find it using the transientTelemetryId.

DotNet invoke error. SessionID:463, Interface:, type:System.DateTime, methodName:Parse

RootException: FormatException

ExceptionStackTrace:

at System.DateTimeParse.Parse(String s, DateTimeFormatInfo dtfi, DateTimeStyles styles)

CallerStackTrace:

at Microsoft.Dynamics.Nav.Runtime.NavDotNet.Invoke[T](String methodName, UInt32 methodIndex, BindingFlags flags, ParameterModifier modifier, Type[] referenceTypes, Object[] arguments)

at Microsoft.Dynamics.Nav.Runtime.NavDotNet.InvokeMethod[T](Boolean isStatic, String methodName, UInt32 methodIndex, Object[] arguments)

at Microsoft.Dynamics.Nav.Runtime.NavDotNet.InvokeStaticMethod[T](String methodName, UInt32 methodIndex, Object[] arguments)

at Microsoft.Dynamics.Nav.BusinessApplication.Report50127.Comprobantes_a45_OnAfterGetRecord_Scope.OnRun() in C:\ProgramData\Microsoft\Microsoft Dynamics

NAV\140\Server\MicrosoftDynamicsNavServer\$DEMODB\base\source\REP\REP_50127.cs:line 1634

at Microsoft.Dynamics.Nav.Runtime.NavMethodScope.Run()

at Microsoft.Dynamics.Nav.BusinessApplication.Report50127.Comprobantes_a45_OnAfterGetRecord() in

C:\ProgramData\Microsoft\Microsoft Dynamics

NAV\140\Server\MicrosoftDynamicsNavServer\$DEMODB\base\source\REP\REP_50127.cs:line 1002

at Microsoft.Dynamics.Nav.Runtime.DataItemIterator.ExecuteTrigger(NavTrigger reportTriggerDelegate)

at Microsoft.Dynamics.Nav.Runtime.DataItemIterator.DataItemTriggerSwitch(DataItem dataItem, NavTrigger dataItemTriggerDelegate)

at Microsoft.Dynamics.Nav.Runtime.DataItemIterator.ExecuteDataItemLoop(DataItem dataItem)

at Microsoft.Dynamics.Nav.Runtime.DataItemIterator.LoopChildDataItems(DataItem dataItem)

at Microsoft.Dynamics.Nav.Runtime.DataItemIterator.ExecuteDataItemLoop(DataItem dataItem)

at Microsoft.Dynamics.Nav.Runtime.DataItemIterator.LoopChildDataItems(DataItem dataItem)

at Microsoft.Dynamics.Nav.Runtime.DataItemIterator.ExecuteDataItemLoop(DataItem dataItem)

at Microsoft.Dynamics.Nav.Runtime.DataItemIterator.LoopChildDataItems(DataItem dataItem)

at Microsoft.Dynamics.Nav.Runtime.DataItemIterator.ExecuteDataItemLoop(DataItem dataItem)

at Microsoft.Dynamics.Nav.Runtime.DataItemIterator.LoopRootDataItems()

at Microsoft.Dynamics.Nav.Runtime.DataItemIterator.ExecuteDataItemIterator()

at Microsoft.Dynamics.Nav.Runtime.NavReport.<>c__DisplayClass123_0.<RunReportInternal>b__0()

at

Microsoft.Dynamics.Nav.Runtime.ApplicationObjectRootScope.AddApplicationObjectRootScope[T](NavApplicationObjectBase applicationObject, Func`1 action)

at Microsoft.Dynamics.Nav.Runtime.NavReport.SaveReportAsFormat(NavRecord record, IResultSetProcessor resultSetProcessor, String fileName, ReportFormat format, String tempFilePath)

at Microsoft.Dynamics.Nav.Runtime.NavReport.SaveAs(DataError errorLevel, NavOutputStream outputStream, ReportFormat format, NavRecordRef recordRef)

at Microsoft.Dynamics.Nav.Runtime.NavReport.SaveAs(DataError errorLevel, Int32 reportId, String parameters, NavReportFormat reportFormat, NavOutputStream outputStream, NavRecordRef recordRef)

at Microsoft.Dynamics.Nav.BusinessApplication.Codeunit6211197.GetReportAsPDF_Scope__135625231.OnRun() in C:\ProgramData\Microsoft\Microsoft Dynamics

NAV\140\Server\MicrosoftDynamicsNavServer\$DEMODB\apps\metadata\3\E7\E7836311B04E3794E8E2C5BCCC71B5A4DDAE8E85300AC821AE9F7C9E2F20AFFC.cs:line 1511
at Microsoft.Dynamics.Nav.Runtime.NavMethodScope.Run()
at Microsoft.Dynamics.Nav.BusinessApplication.Codeunit6211197.GetReportAsPDF(Int32 reportId, NavText reportParameters, NavRecordRef recordReference) in C:\ProgramData\Microsoft\Microsoft Dynamics
NAV\140\Server\MicrosoftDynamicsNavServer\$DEMODB\apps\metadata\3\E7\E7836311B04E3794E8E2C5BCCC71B5A4DDAE8E85300AC821AE9F7C9E2F20AFFC.cs:line 1446
at Microsoft.Dynamics.Nav.BusinessApplication.Codeunit6211197.PrintReportasPDF_Scope_1237335992.OnRun() in C:\ProgramData\Microsoft\Microsoft Dynamics
NAV\140\Server\MicrosoftDynamicsNavServer\$DEMODB\apps\metadata\3\E7\E7836311B04E3794E8E2C5BCCC71B5A4DDAE8E85300AC821AE9F7C9E2F20AFFC.cs:line 942
at Microsoft.Dynamics.Nav.Runtime.NavMethodScope.Run()
at Microsoft.Dynamics.Nav.BusinessApplication.Codeunit6211197.PrintReportasPDF(Int32 reportUsage, NavCode documentNo, NavText externalUserId) in C:\ProgramData\Microsoft\Microsoft Dynamics
NAV\140\Server\MicrosoftDynamicsNavServer\$DEMODB\apps\metadata\3\E7\E7836311B04E3794E8E2C5BCCC71B5A4DDAE8E85300AC821AE9F7C9E2F20AFFC.cs:line 806
at Microsoft.Dynamics.Nav.BusinessApplication.Codeunit6211197.OnInvoke(Int32 memberId, Object[] args) in C:\ProgramData\Microsoft\Microsoft Dynamics
NAV\140\Server\MicrosoftDynamicsNavServer\$DEMODB\apps\metadata\3\E7\E7836311B04E3794E8E2C5BCCC71B5A4DDAE8E85300AC821AE9F7C9E2F20AFFC.cs:line 59
at
Microsoft.Dynamics.Nav.BusinessApplication.Codeunit6211200.GetPdfForItemRequest_Scope_1755206288.OnRun() in C:\ProgramData\Microsoft\Microsoft Dynamics
NAV\140\Server\MicrosoftDynamicsNavServer\$DEMODB\apps\metadata\3\7C\7C5D1AA57D3DAA5092336643A4C69367A54314EBDB5C70A7EED1F164022B877A.cs:line 886
at Microsoft.Dynamics.Nav.Runtime.NavMethodScope.Run()
at Microsoft.Dynamics.Nav.BusinessApplication.Codeunit6211200.GetPdfForItemRequest(NavXmlDocument xMLdocIn, ByRef 1 response) in C:\ProgramData\Microsoft\Microsoft Dynamics
NAV\140\Server\MicrosoftDynamicsNavServer\$DEMODB\apps\metadata\3\7C\7C5D1AA57D3DAA5092336643A4C69367A54314EBDB5C70A7EED1F164022B877A.cs:line 816
at Microsoft.Dynamics.Nav.BusinessApplication.Codeunit6211200.Process_Scope_50007886.OnRun() in C:\ProgramData\Microsoft\Microsoft Dynamics
NAV\140\Server\MicrosoftDynamicsNavServer\$DEMODB\apps\metadata\3\7C\7C5D1AA57D3DAA5092336643A4C69367A54314EBDB5C70A7EED1F164022B877A.cs:line 241
at Microsoft.Dynamics.Nav.Runtime.NavMethodScope.Run()
at Microsoft.Dynamics.Nav.BusinessApplication.Codeunit6211200.Process(ByRef 1 request) in C:\ProgramData\Microsoft\Microsoft Dynamics
NAV\140\Server\MicrosoftDynamicsNavServer\$DEMODB\apps\metadata\3\7C\7C5D1AA57D3DAA5092336643A4C69367A54314EBDB5C70A7EED1F164022B877A.cs:line 116
at System.RuntimeMethodHandle.InvokeMethod(Object target, Object[] arguments, Signature sig, Boolean constructor)
at System.Reflection.RuntimeMethodInfo.UnsafelyInvokeInternal(Object obj, Object[] parameters, Object[] arguments)
at System.Reflection.RuntimeMethodInfo.Invoke(Object obj, BindingFlags invokeAttr, Binder binder, Object[] parameters, CultureInfo culture)
at Microsoft.Dynamics.Nav.Service.SOAP.ServiceCodeunitXmlAdapter.<>c__DisplayClass2_1.<Dispatch>b__1()
at Microsoft.Dynamics.Nav.Runtime.SessionTransactionManager.TransactionScope(Action code)
at Microsoft.Dynamics.Nav.Service.SOAP.ServiceCodeunitXmlAdapter.<>c__DisplayClass2_0.<Dispatch>b__0()
at Microsoft.Dynamics.Nav.Service.SOAP.Disposer.Scope(Code code)
at Microsoft.Dynamics.Nav.Service.SOAP.ServiceCodeunitXmlAdapter.Dispatch(XmlElement input, XmlIWriter output)
at Microsoft.Dynamics.Nav.Service.SOAP.XmlIWriter.Element(String name, XmlCallback elementHandler)
at Microsoft.Dynamics.Nav.Service.SOAP.XmlIWriter.Element(String name, XmlCallback elementHandler)
at Microsoft.Dynamics.Nav.Service.SOAP.XmlIWriter.SetNamespace(QNamespace namespace, XmlCallback nodeHandler)

at
Microsoft.Dynamics.Nav.Service.SOAP.SoapHandler.Microsoft.Dynamics.Nav.Service.SOAP.IXmlRequestHandler.Dispatch(XmlElement input, XmlWriter output)
at Microsoft.Dynamics.Nav.Service.SOAP.ServiceBroker.DispatchSoap(WebServiceUrlInfo relevantURLPart, XmlReader input, TextWriter output, NavTenant tenant, PerformanceLog perfLog)
at Microsoft.Dynamics.Nav.Service.SOAP.ServiceBroker.Invoke(Boolean isSoapMessage, Uri url, XmlReader input, TextWriter output, NavUserAuthentication navUserAuthentication, PerformanceLog performanceLog)
at Microsoft.Dynamics.Nav.Service.SOAP.NavWebService.<>c__DisplayClass3_3.<ProcessMessage>b__2()
at Microsoft.Dynamics.Nav.Service.SOAP.Disposer.Scope(Code code)
at Microsoft.Dynamics.Nav.Service.SOAP.WCFUtil.GetPopulatedMemoryStream(StreamFillingCallback callback)
at Microsoft.Dynamics.Nav.Service.SOAP.NavWebService.ProcessMessage(Message message)
at SyncInvokeProcessMessage(Object , Object[] , Object[])
at System.ServiceModel.Dispatcher.SyncMethodInvoker.Invoke(Object instance, Object[] inputs, Object[]& outputs)
at System.ServiceModel.Dispatcher.DispatchOperationRuntime.InvokeBegin(MessageRpc& rpc)
at System.ServiceModel.Dispatcher.ImmutableDispatchRuntime.ProcessMessage5(MessageRpc& rpc)
at System.ServiceModel.Dispatcher.ImmutableDispatchRuntime.ProcessMessage11(MessageRpc& rpc)
at System.ServiceModel.Dispatcher.MessageRpc.Process(Boolean isOperationContextSet)
at System.ServiceModel.Dispatcher.ChannelHandler.DispatchAndReleasePump(RequestContext request, Boolean cleanThread, OperationContext currentOperationContext)
at System.ServiceModel.Dispatcher.ChannelHandler.HandleRequest(RequestContext request, OperationContext currentOperationContext)
at System.ServiceModel.Dispatcher.ChannelHandler.AsyncMessagePump(IAsyncResult result)
at System.ServiceModel.Dispatcher.ChannelHandler.OnAsyncReceiveComplete(IAsyncResult result)
at System.Runtime.Fx.AsyncThunk.UnhandledExceptionFrame(IAsyncResult result)
at System.Runtime.AsyncResult.Complete(Boolean completedSynchronously)
at System.Runtime.InputQueue`1.AsyncQueueReader.Set(Item item)
at System.Runtime.InputQueue`1.EnqueueAndDispatch(Item item, Boolean canDispatchOnThisThread)
at System.Runtime.InputQueue`1.EnqueueAndDispatch(T item, Action dequeuedCallback, Boolean canDispatchOnThisThread)
at System.ServiceModel.Channels.SingletonChannelAcceptor`3.Enqueue(QueueItemType item, Action dequeuedCallback, Boolean canDispatchOnThisThread)
at
System.ServiceModel.Channels.HttpPipeline.EnqueueMessageAsyncResult.CompleteParseAndEnqueue(IAsyncResult result)
at
System.ServiceModel.Channels.HttpPipeline.EnqueueMessageAsyncResult.HandleParseIncomingMessage(IAsyncResult result)
at System.Runtime.AsyncResult.AsyncCompletionWrapperCallback(IAsyncResult result)
at System.Runtime.Fx.AsyncThunk.UnhandledExceptionFrame(IAsyncResult result)
at System.Runtime.AsyncResult.Complete(Boolean completedSynchronously)
at System.ServiceModel.Channels.HttpInput.ParseMessageAsyncResult.OnRead(IAsyncResult result)
at System.Runtime.Fx.AsyncThunk.UnhandledExceptionFrame(IAsyncResult result)
at System.Net.LazyAsyncResult.Complete(IntPtr userToken)
at System.Net.LazyAsyncResult.ProtectedInvokeCallback(Object result, IntPtr userToken)
at System.Net.HttpRequestStream.HttpRequestStreamAsyncResult.IOCompleted(HttpRequestStreamAsyncResult asyncResult, UInt32 errorCode, UInt32 numBytes)
at System.Threading.ExecutionContext.RunInternal(ExecutionContext executionContext, ContextCallback callback, Object state, Boolean preserveSyncCtx)
at System.Threading.ExecutionContext.Run(ExecutionContext executionContext, ContextCallback callback, Object state, Boolean preserveSyncCtx)
at System.Threading._IOCompletionCallback.PerformIOCompletionCallback(UInt32 errorCode, UInt32 numBytes, NativeOverlapped* pOVERLAP)

ProcessId: 3308
Tag: 000016L
ThreadId: 61
CounterInformation:

WARNING 3

Server instance: DEMODB

Tenant ID:

User:

Type: Microsoft.Dynamics.Nav.Types.Exceptions.NavNCLDotNetInvokeException

SuppressMessage: False

ContainsPersonalOrRestrictedInformation: True

DiagnosticsSuppress: False

DiagnosticsMessage: Message not shown because the NavBaseException(string, Exception, bool) constructor was used.

MessageWithoutPrivateInformation: Message not shown because the NavBaseException(string, Exception, bool) constructor was used.

SuppressExceptionCreatedEvent: False

FatalityScope: Call

Message: A call to System.DateTime.Parse failed with this message: String was not recognized as a valid DateTime.

StackTrace:

at Microsoft.Dynamics.Nav.Runtime.NavDotNet.Invoke[T](String methodName, UInt32 methodIndex, BindingFlags flags, ParameterModifier modifier, Type[] referenceTypes, Object[] arguments)

at Microsoft.Dynamics.Nav.Runtime.NavDotNet.InvokeMethod[T](Boolean isStatic, String methodName, UInt32 methodIndex, Object[] arguments)

at Microsoft.Dynamics.Nav.Runtime.NavDotNet.InvokeStaticMethod[T](String methodName, UInt32 methodIndex, Object[] arguments)

at

Microsoft.Dynamics.Nav.BusinessApplication.Report50127.Comprobantes_a45_OnAfterGetRecord_Scope.OnRun() in C:\ProgramData\Microsoft\Microsoft Dynamics

NAV\140\Server\MicrosoftDynamicsNavServer\$DEMODB\base\source\REP\REP_50127.cs:line 1634

at Microsoft.Dynamics.Nav.Runtime.NavMethodScope.Run()

at Microsoft.Dynamics.Nav.BusinessApplication.Report50127.Comprobantes_a45_OnAfterGetRecord() in

C:\ProgramData\Microsoft\Microsoft Dynamics

NAV\140\Server\MicrosoftDynamicsNavServer\$DEMODB\base\source\REP\REP_50127.cs:line 1002

at Microsoft.Dynamics.Nav.Runtime.DataItemIterator.ExecuteTrigger(NavTrigger reportTriggerDelegate)

at Microsoft.Dynamics.Nav.Runtime.DataItemIterator.DataItemTriggerSwitch(DataItem dataItem, NavTrigger dataItemTriggerDelegate)

at Microsoft.Dynamics.Nav.Runtime.DataItemIterator.ExecuteDataItemLoop(DataItem dataItem)

at Microsoft.Dynamics.Nav.Runtime.DataItemIterator.LoopChildDataItems(DataItem dataItem)

at Microsoft.Dynamics.Nav.Runtime.DataItemIterator.ExecuteDataItemLoop(DataItem dataItem)

at Microsoft.Dynamics.Nav.Runtime.DataItemIterator.LoopChildDataItems(DataItem dataItem)

at Microsoft.Dynamics.Nav.Runtime.DataItemIterator.ExecuteDataItemLoop(DataItem dataItem)

at Microsoft.Dynamics.Nav.Runtime.DataItemIterator.LoopChildDataItems(DataItem dataItem)

at Microsoft.Dynamics.Nav.Runtime.DataItemIterator.ExecuteDataItemLoop(DataItem dataItem)

at Microsoft.Dynamics.Nav.Runtime.DataItemIterator.LoopRootDataItems()

at Microsoft.Dynamics.Nav.Runtime.DataItemIterator.ExecuteDataItemIterator()

at Microsoft.Dynamics.Nav.Runtime.NavReport.<>c__DisplayClass123_0.<RunReportInternal>b__0()

at

Microsoft.Dynamics.Nav.Runtime.ApplicationObjectRootScope.AddApplicationObjectRootScope[T](NavApplicationObjectBase applicationObject, Func`1 action)

at Microsoft.Dynamics.Nav.Runtime.NavReport.SaveReportAsFormat(NavRecord record, IResultSetProcessor resultSetProcessor, String fileName, ReportFormat format, String tempFilePath)

at Microsoft.Dynamics.Nav.Runtime.NavReport.SaveAs(DataError errorLevel, NavOutputStream outputStream, ReportFormat format, NavRecordRef recordRef)

at Microsoft.Dynamics.Nav.Runtime.NavReport.SaveAs(DataError errorLevel, Int32 reportId, String parameters, NavReportFormat reportFormat, NavOutputStream outputStream, NavRecordRef recordRef)

```
at Microsoft.Dynamics.Nav.BusinessApplication.Codeunit6211197.GetReportAsPDF_Scope__135625231.OnRun() in
C:\ProgramData\Microsoft\Microsoft Dynamics
NAV\140\Server\MicrosoftDynamicsNavServer$DEMODB\apps\metadata\3\E7\E7836311B04E3794E8E2C5BCCC71B5A
4DDAE8E85300AC821AE9F7C9E2F20AFFC.cs:line 1511
at Microsoft.Dynamics.Nav.Runtime.NavMethodScope.Run()
at Microsoft.Dynamics.Nav.BusinessApplication.Codeunit6211197.GetReportAsPDF(Int32 reportId, NavText
reportParameters, NavRecordRef recordReference) in C:\ProgramData\Microsoft\Microsoft Dynamics
NAV\140\Server\MicrosoftDynamicsNavServer$DEMODB\apps\metadata\3\E7\E7836311B04E3794E8E2C5BCCC71B5A
4DDAE8E85300AC821AE9F7C9E2F20AFFC.cs:line 1446
at Microsoft.Dynamics.Nav.BusinessApplication.Codeunit6211197.PrintReportasPDF_Scope_1237335992.OnRun() in
C:\ProgramData\Microsoft\Microsoft Dynamics
NAV\140\Server\MicrosoftDynamicsNavServer$DEMODB\apps\metadata\3\E7\E7836311B04E3794E8E2C5BCCC71B5A
4DDAE8E85300AC821AE9F7C9E2F20AFFC.cs:line 942
at Microsoft.Dynamics.Nav.Runtime.NavMethodScope.Run()
at Microsoft.Dynamics.Nav.BusinessApplication.Codeunit6211197.PrintReportasPDF(Int32 reportUsage, NavCode
documentNo, NavText externalUserId) in C:\ProgramData\Microsoft\Microsoft Dynamics
NAV\140\Server\MicrosoftDynamicsNavServer$DEMODB\apps\metadata\3\E7\E7836311B04E3794E8E2C5BCCC71B5A
4DDAE8E85300AC821AE9F7C9E2F20AFFC.cs:line 806
at Microsoft.Dynamics.Nav.BusinessApplication.Codeunit6211197.OnInvoke(Int32 memberId, Object[] args) in
C:\ProgramData\Microsoft\Microsoft Dynamics
NAV\140\Server\MicrosoftDynamicsNavServer$DEMODB\apps\metadata\3\E7\E7836311B04E3794E8E2C5BCCC71B5A
4DDAE8E85300AC821AE9F7C9E2F20AFFC.cs:line 59
at
Microsoft.Dynamics.Nav.BusinessApplication.Codeunit6211200.GetPdfForItemRequest_Scope_1755206288.OnRun() in
C:\ProgramData\Microsoft\Microsoft Dynamics
NAV\140\Server\MicrosoftDynamicsNavServer$DEMODB\apps\metadata\3\7C\7C5D1AA57D3DAA5092336643A4C69
367A54314EBDB5C70A7EED1F164022B877A.cs:line 886
at Microsoft.Dynamics.Nav.Runtime.NavMethodScope.Run()
at Microsoft.Dynamics.Nav.BusinessApplication.Codeunit6211200.GetPdfForItemRequest(NavXmlDocument
xMLdocIn, ByRef 1 response) in C:\ProgramData\Microsoft\Microsoft Dynamics
NAV\140\Server\MicrosoftDynamicsNavServer$DEMODB\apps\metadata\3\7C\7C5D1AA57D3DAA5092336643A4C69
367A54314EBDB5C70A7EED1F164022B877A.cs:line 816
at Microsoft.Dynamics.Nav.BusinessApplication.Codeunit6211200.Process_Scope_50007886.OnRun() in
C:\ProgramData\Microsoft\Microsoft Dynamics
NAV\140\Server\MicrosoftDynamicsNavServer$DEMODB\apps\metadata\3\7C\7C5D1AA57D3DAA5092336643A4C69
367A54314EBDB5C70A7EED1F164022B877A.cs:line 241
at Microsoft.Dynamics.Nav.Runtime.NavMethodScope.Run()
at Microsoft.Dynamics.Nav.BusinessApplication.Codeunit6211200.Process(ByRef 1 request) in
C:\ProgramData\Microsoft\Microsoft Dynamics
NAV\140\Server\MicrosoftDynamicsNavServer$DEMODB\apps\metadata\3\7C\7C5D1AA57D3DAA5092336643A4C69
367A54314EBDB5C70A7EED1F164022B877A.cs:line 116
--- End of stack trace from previous location where exception was thrown ---
at System.Runtime.ExceptionServices.ExceptionDispatchInfo.Throw()
at Microsoft.Dynamics.Nav.Service.SOAP.ServiceBroker.Invoke(Boolean isSoapMessage, Uri url, XmlReader input,
TextWriter output, NavUserAuthentication navUserAuthentication, PerformanceLog performanceLog)
at Microsoft.Dynamics.Nav.Service.SOAP.NavWebService.<>c__DisplayClass3_3.<ProcessMessage>b__2()
at Microsoft.Dynamics.Nav.Service.SOAP.Disposer.Scope(Code code)
at Microsoft.Dynamics.Nav.Service.SOAP.WCFUtil.GetPopulatedMemoryStream(StreamFillingCallback callback)
at Microsoft.Dynamics.Nav.Service.SOAP.NavWebService.ProcessMessage(Message message)
at SyncInvokeProcessMessage(Object , Object[] , Object[] )
at System.ServiceModel.Dispatcher.SyncMethodInvoker.Invoke(Object instance, Object[] inputs, Object[]& outputs)
at System.ServiceModel.Dispatcher.DispatchOperationRuntime.InvokeBegin(MessageRpc& rpc)
at System.ServiceModel.Dispatcher.ImmutableDispatchRuntime.ProcessMessage5(MessageRpc& rpc)
at System.ServiceModel.Dispatcher.ImmutableDispatchRuntime.ProcessMessage11(MessageRpc& rpc)
```

```
    at System.ServiceModel.Dispatcher.MessageRpc.Process(Boolean isOperationContextSet)
Source: Microsoft.Dynamics.Nav.Ncl
HResult: -2146233088
StackTrace:
    at Microsoft.Dynamics.Nav.Runtime.NavDotNet.Invoke[T](String methodName, UInt32 methodIndex, BindingFlags flags, ParameterModifier modifier, Type[] referenceTypes, Object[] arguments)
    at Microsoft.Dynamics.Nav.Runtime.NavDotNet.InvokeMethod[T](Boolean isStatic, String methodName, UInt32 methodIndex, Object[] arguments)
    at Microsoft.Dynamics.Nav.Runtime.NavDotNet.InvokeStaticMethod[T](String methodName, UInt32 methodIndex, Object[] arguments)
    at
Microsoft.Dynamics.Nav.BusinessApplication.Report50127.Comprobantes_a45_OnAfterGetRecord_Scope.OnRun() in
C:\ProgramData\Microsoft\Microsoft Dynamics
NAV\140\Server\MicrosoftDynamicsNavServer$DEMODB\base\source\REP\REP_50127.cs:line 1634
    at Microsoft.Dynamics.Nav.Runtime.NavMethodScope.Run()
    at Microsoft.Dynamics.Nav.BusinessApplication.Report50127.Comprobantes_a45_OnAfterGetRecord() in
C:\ProgramData\Microsoft\Microsoft Dynamics
NAV\140\Server\MicrosoftDynamicsNavServer$DEMODB\base\source\REP\REP_50127.cs:line 1002
    at Microsoft.Dynamics.Nav.Runtime.DataItemIterator.ExecuteTrigger(NavTrigger reportTriggerDelegate)
    at Microsoft.Dynamics.Nav.Runtime.DataItemIterator.DataItemTriggerSwitch(DataItem dataItem, NavTrigger dataItemTriggerDelegate)
    at Microsoft.Dynamics.Nav.Runtime.DataItemIterator.ExecuteDataItemLoop(DataItem dataItem)
    at Microsoft.Dynamics.Nav.Runtime.DataItemIterator.LoopChildDataItems(DataItem dataItem)
    at Microsoft.Dynamics.Nav.Runtime.DataItemIterator.ExecuteDataItemLoop(DataItem dataItem)
    at Microsoft.Dynamics.Nav.Runtime.DataItemIterator.LoopChildDataItems(DataItem dataItem)
    at Microsoft.Dynamics.Nav.Runtime.DataItemIterator.ExecuteDataItemLoop(DataItem dataItem)
    at Microsoft.Dynamics.Nav.Runtime.DataItemIterator.LoopChildDataItems(DataItem dataItem)
    at Microsoft.Dynamics.Nav.Runtime.DataItemIterator.ExecuteDataItemLoop(DataItem dataItem)
    at Microsoft.Dynamics.Nav.Runtime.DataItemIterator.LoopRootDataItems()
    at Microsoft.Dynamics.Nav.Runtime.DataItemIterator.ExecuteDataItemIterator()
    at Microsoft.Dynamics.Nav.Runtime.NavReport.<>c__DisplayClass123_0.<RunReportInternal>b__0()
    at
Microsoft.Dynamics.Nav.Runtime.ApplicationObjectRootScope.AddApplicationObjectRootScope[T](NavApplicationObjectBase applicationObject, Func`1 action)
    at Microsoft.Dynamics.Nav.Runtime.NavReport.SaveReportAsFormat(NavRecord record, IResultSetProcessor resultSetProcessor, String fileName, ReportFormat format, String tempFilePath)
    at Microsoft.Dynamics.Nav.Runtime.NavReport.SaveAs(DataError errorLevel, NavOutputStream outputStream, ReportFormat format, NavRecordRef recordRef)
    at Microsoft.Dynamics.Nav.Runtime.NavReport.SaveAs(DataError errorLevel, Int32 reportId, String parameters, NavReportFormat reportFormat, NavOutputStream outputStream, NavRecordRef recordRef)
    at Microsoft.Dynamics.Nav.BusinessApplication.Codeunit6211197.GetReportAsPDF_Scope__135625231.OnRun() in
C:\ProgramData\Microsoft\Microsoft Dynamics
NAV\140\Server\MicrosoftDynamicsNavServer$DEMODB\apps\metadata\3\E7\E7836311B04E3794E8E2C5BCCC71B5A4DDAE8E85300AC821AE9F7C9E2F20AFFE.cs:line 1511
    at Microsoft.Dynamics.Nav.Runtime.NavMethodScope.Run()
    at Microsoft.Dynamics.Nav.BusinessApplication.Codeunit6211197.GetReportAsPDF(Int32 reportId, NavText reportParameters, NavRecordRef recordReference) in C:\ProgramData\Microsoft\Microsoft Dynamics
NAV\140\Server\MicrosoftDynamicsNavServer$DEMODB\apps\metadata\3\E7\E7836311B04E3794E8E2C5BCCC71B5A4DDAE8E85300AC821AE9F7C9E2F20AFFE.cs:line 1446
    at Microsoft.Dynamics.Nav.BusinessApplication.Codeunit6211197.PrintReportAsPDF_Scope_1237335992.OnRun() in
C:\ProgramData\Microsoft\Microsoft Dynamics
NAV\140\Server\MicrosoftDynamicsNavServer$DEMODB\apps\metadata\3\E7\E7836311B04E3794E8E2C5BCCC71B5A4DDAE8E85300AC821AE9F7C9E2F20AFFE.cs:line 942
    at Microsoft.Dynamics.Nav.Runtime.NavMethodScope.Run()
```

```
    at Microsoft.Dynamics.Nav.BusinessApplication.Codeunit6211197.PrintReportasPDF(Int32 reportUsage, NavCode
documentNo, NavText externalUserId) in C:\ProgramData\Microsoft\Microsoft Dynamics
NAV\140\Server\MicrosoftDynamicsNavServer$DEMODB\apps\metadata\3\E7\E7836311B04E3794E8E2C5BCCC71B5A
4DDAE8E85300AC821AE9F7C9E2F20AFFC.cs:line 806
    at Microsoft.Dynamics.Nav.BusinessApplication.Codeunit6211197.OnInvoke(Int32 memberId, Object[] args) in
C:\ProgramData\Microsoft\Microsoft Dynamics
NAV\140\Server\MicrosoftDynamicsNavServer$DEMODB\apps\metadata\3\E7\E7836311B04E3794E8E2C5BCCC71B5A
4DDAE8E85300AC821AE9F7C9E2F20AFFC.cs:line 59
    at
Microsoft.Dynamics.Nav.BusinessApplication.Codeunit6211200.GetPdfForItemRequest_Scope_1755206288.OnRun() in
C:\ProgramData\Microsoft\Microsoft Dynamics
NAV\140\Server\MicrosoftDynamicsNavServer$DEMODB\apps\metadata\3\7C\7C5D1AA57D3DAA5092336643A4C69
367A54314EBDB5C70A7EED1F164022B877A.cs:line 886
    at Microsoft.Dynamics.Nav.Runtime.NavMethodScope.Run()
    at Microsoft.Dynamics.Nav.BusinessApplication.Codeunit6211200.GetPdfForItemRequest(NavXmlDocument
xMLdocIn, ByRef 1 response) in C:\ProgramData\Microsoft\Microsoft Dynamics
NAV\140\Server\MicrosoftDynamicsNavServer$DEMODB\apps\metadata\3\7C\7C5D1AA57D3DAA5092336643A4C69
367A54314EBDB5C70A7EED1F164022B877A.cs:line 816
    at Microsoft.Dynamics.Nav.BusinessApplication.Codeunit6211200.Process_Scope_50007886.OnRun() in
C:\ProgramData\Microsoft\Microsoft Dynamics
NAV\140\Server\MicrosoftDynamicsNavServer$DEMODB\apps\metadata\3\7C\7C5D1AA57D3DAA5092336643A4C69
367A54314EBDB5C70A7EED1F164022B877A.cs:line 241
    at Microsoft.Dynamics.Nav.Runtime.NavMethodScope.Run()
    at Microsoft.Dynamics.Nav.BusinessApplication.Codeunit6211200.Process(ByRef 1 request) in
C:\ProgramData\Microsoft\Microsoft Dynamics
NAV\140\Server\MicrosoftDynamicsNavServer$DEMODB\apps\metadata\3\7C\7C5D1AA57D3DAA5092336643A4C69
367A54314EBDB5C70A7EED1F164022B877A.cs:line 116
--- End of stack trace from previous location where exception was thrown ---
    at System.Runtime.ExceptionServices.ExceptionDispatchInfo.Throw()
    at Microsoft.Dynamics.Nav.Service.SOAP.ServiceBroker.Invoke(Boolean isSoapMessage, Uri url, XmlReader input,
TextWriter output, NavUserAuthentication navUserAuthentication, PerformanceLog performanceLog)
    at Microsoft.Dynamics.Nav.Service.SOAP.NavWebService.<>c__DisplayClass3_3.<ProcessMessage>b__2()
    at Microsoft.Dynamics.Nav.Service.SOAP.Disposer.Scope(Code code)
    at Microsoft.Dynamics.Nav.Service.SOAP.WCFUtil.GetPopulatedMemoryStream(StreamFillingCallback callback)
    at Microsoft.Dynamics.Nav.Service.SOAP.NavWebService.ProcessMessage(Message message)
    at SyncInvokeProcessMessage(Object , Object[] , Object[] )
    at System.ServiceModel.Dispatcher.SyncMethodInvoker.Invoke(Object instance, Object[] inputs, Object[]& outputs)
    at System.ServiceModel.Dispatcher.DispatchOperationRuntime.InvokeBegin(MessageRpc& rpc)
    at System.ServiceModel.Dispatcher.ImmutableDispatchRuntime.ProcessMessage5(MessageRpc& rpc)
    at System.ServiceModel.Dispatcher.ImmutableDispatchRuntime.ProcessMessage11(MessageRpc& rpc)
    at System.ServiceModel.Dispatcher.MessageRpc.Process(Boolean isOperationContextSet)
```

Type: System.FormatException

Message: String was not recognized as a valid DateTime.

StackTrace: at System.DateTimeParse.Parse(String s, DateTimeFormatInfo dtfi, DateTimeStyles styles)

Source:mscorlib

HResult: -2146233033

StackTrace: at System.DateTimeParse.Parse(String s, DateTimeFormatInfo dtfi, DateTimeStyles styles)